

## Flame Retardant Heatshrink - FCSM

### APPLICATIONS

- Electrical insulation & mechanical protection
- Flexible applications
- Indoor or outdoor busbar insulation
- · Harsh environments

#### **FEATURES**

- Heavy Wall Tubing
- Flexible
- Corrosion protection
- Insulation up to 1kV
- Operating temperature range -40°C to 120°C
- Shrink ratio 3:1
- Flame retardant
- Self extinguishing
- UV stable



GIFT WITH PURCHASE



Spend over \$800 (excl GST) on one invoice this month & receive a free

BOTTLE OPENER

While stocks las



#### **TN855 - PHASE ROTATION METER**

The TN855 Phase Rotation Meter comes with fused leads to offer overload protection to line workers who test on overhead LV lines. The leads are supplied at lengths conducive to allowing the unit to be connected across overhead LV lines when making the test. The double insulated leads are connected to shrouded probes with removable crocodile clips which are included.

Easy to operate, simply connect the coloured leads to the appropriate phase, tester will automatically advise rotation of phases, always be sure to check phases before and after work is completed to ensure rotation remains constant.

This unit is supplied in a soft vinyl case with the colour coded crocodile clips, leads and an instruction manual.



#### **KEY FEATURES**

- CAT IV, 600V
- · Heavy duty fused leads with HRC fuses
- Input Voltage 200-600V AC
- Frequency 50-60Hz
- 3x5amp HRC fuses
- Lightweight
- Push button activation



- Size = 134mm x 85mm x 45mm
- Weight = 530g (with test leads)



Product # TN855

\$179.00



#### DIN FUSE LINKS - BY TE CONNECTIVITY

# Top Quality, IEC approved LV Fuse Links by TE Connectivity – Every Connection Counts!

#### **FUSE LINK NH DIN TYPE**

#### **FEATURES**

- Rated Voltage: 690V AC
- Rated breaking capacity: 120kA
- Class: gG/gL
- Huge range in stock
- · Solid blade links also available
- Standard specifications: IEC EN 60269-2-1








#### **NEW AGENCY!!! - APATOR SWITCHGEAR**

## You asked – We Delivered!

We've been searching the globe for the ultimate switchgear and here it is. TransNet is proud to announce the addition of Apator products to our selection of high quality products. The new Pro series of RBK switch disconnectors is designed for the distribution of electricity and protection of electrical equipment against short-circuits and overloads with industrial fuse links, & is suitable for installation in low voltage distribution boards, cable and metering cabinets.

#### **FUNCTIONALITY**

- Voltage testing is performed through test holes in the fuse link cover
- Fuse link status monitoring ability
- Conforms to EN 60947-1, EN 60947-3, IEC 60947-1, and IEC 60947-3 standards





- Thermoplastic parts made of fibre glass strengthened polyamide with halogen-free flame retardant added and with the highest possible flammability class -VO
- Three pole main base with spring-loaded contacts designed for connection of circular or sector-shaped conductors
- Conductors with lug terminals or bars
- Removable cover with fuse links
- Arc chutes with steel deionization plates over top contacts
- Silver plated contacts provide low power loss

Available in Vertical & Horizontal models for Din NH fuse links sizes 00-3.



#### MOUNTING

On mounting plate

- RBK 00 Pro
- RBK 1 Pro
- RBK 2 Pro
- RBK 3
- On double DIN rail
  - RBK 00 Pro



#### **CONDUIT CUTTERS**

#### CC32 FEATURES

High quality construction

Suitable for cutting PVC conduit and duct

Supplied with a flat bed attachment for cutting duct

Range: Up to 32mm OD.

Length: 195mm

Weight: 320g

(TransNet)





#### **CC42 FEATURES**

High quality construction

Suitable for cutting PVC conduit and duct

Stainless steel cutting blade

Range: Up to 42mm OD.

Length: 215mm

Weight: 360g



#### METREL MI3102 EUROTEST XE INSTALLATION TESTER

The MI3102 EurotestXE is the ideal instrument for engineers who perform high volume installation safety testing. Performing all the necessary tests for installation testing,

EurotestXE is equipped with integrated characteristics of fuses and RCDs for PASS/ FAIL evaluation of test results. All the results can be quickly saved and referenced on the instrument and then downloaded via the EuroLink PRO software, included in the standard set, to the computer for evaluation and report generation after testing. MI3102 EurotestXE performs continuity, insulation, RCD, loop, line, voltage, frequency, earth resistance testing and phase sequence tests.

#### **FEATURES**

- Built-in memory for storing up to 500 measurements
- Field-proven Earth resistance measuring method eliminates stray earth currents during measurements
- Fast and reliable loop resistance measurement without RCD tripping
- Built in fuse characteristics database for quick evaluation of measuring results at ZLINE measurements
- Online voltage monitor shows voltage levels for L-L, L-N and L-PE during the measurement
- TN/TT/IT Multi system support
- Multifunctional tip commander for faster execution of a measuring sequence
- Rechargeable battery pack with charger included
- Eurolink XE PC software CD included

#### **TESTING FUNCTIONS**

- DC Insulation Resistance
- PE Conductor continuity test
- Line and Loop resistances with fuse evaluation table built in
- RCD test with triplock function
- Phase sequence in 3-phase systems
- 3 wire Earth resistance test with built in battery operated generator
- Light meter feature with optional LUX meter probe
- Online voltage monitor
- Leakage current test

Product # MI3102







#### **UTILUX COMBO KITS**



- Bootlace Terminals 0.5mm<sup>2</sup>
- Bootlace Terminals 1.0mm<sup>2</sup>
- Bootlace Terminals 1.5mm<sup>2</sup>
- Bootlace Terminals 2.5mm<sup>2</sup>
- Bootlace Terminals 4.0mm<sup>2</sup>
- Bootlace Terminals 6.0mm<sup>2</sup>
- SABC6 Ratchet Crimp Tool
- Sports Bag

Product # TNFEPROMO



200x3.2mm Ties (4 packs)

300x3.6mm Ties (4 packs)

160x4.8mm Ties (4 packs)

300x4.8mm Ties (2 packs)

Sports Bag

Product # TNPBTIES

Product # TNPREINNPROMO



UTILUX

For more information on these packs, please contact customer service.



Product # TNBLPROMO





#### KIT CONTENTS

- Red Preinsulated Ring M5
- Blue Preinsulated Ring M5
- Yellow Preinsulated Ring M5
- Red SuperGrip Link 0.5-1.5mm2
- Blue SuperGrip Link 1.5-2.5mm2
- Yellow SuperGrip Link 2.5-6.0mm •
- Red 6.3mm Q.C Tab
- Blue 6.3mm Q.C Receptacle Insulated

- Blue 6.3mm Q.C Receptacle
- Closed End Connector
- Red Preinsulated Fork M4
- Blue Preinsulated Fork M4
- Yellow Preinsulated Fork M5
- #76B/1 Combination Crimp Tool
- Segmented Carry Case

#### KIT CONTENTS

- 0.5mm<sup>2</sup>, 8mm Bootlace Terminals
- 0.75mm<sup>2</sup>. 8mm Bootlace Terminals
- 1.0mm<sup>2</sup>, 8mm Bootlace Terminals
- 1.5mm<sup>2</sup>, 8mm Bootlace Terminals
- 2.5mm<sup>2</sup>, 8mm Bootlace Terminals
- 4.0mm<sup>2</sup>. 8mm Bootlace Terminals
- 6mm<sup>2</sup>, 18mm Bootlace Terminals
- SABC6 Ratchet Crimp Tool
- Segmented Carry Case

#### **LEDPNL - ECOLIGHT PANEL LIGHTS**

ECOLight recessed LED ceiling panels are light weight, high powered, energy efficient and dimmable. They have upto 50% energy saving when compared to fluorescents. Ultra slimline (11.5mm) and extremely robust, these panels are virtually maintenance free and fit into even the tightest of ceiling cavities.

#### **FEATURES**

- Up to 50% energy savings compared with fluorescents
- Ultra slimline to fit into the tightest ceiling cavities
- Extremely robust and virtually maintenance free
- Dimming functionality

- Easy installation into false ceilings
- UV free







CEILING MOUNTING STYLE



RECESSED MOUNTING STYLE

#### **MODELS AVAILABLE:**

- LEDPNL-3X12-42-CW (Cool White)
- LEDPNL-3X12-42-PW (Pure White)
- LEDPNL-6X6-42-CW (Cool White)
- LEDPNL-6X6-42-PW (Pure White)
- LEDPNL-3X12-83-CW (Cool White)LEDPNL-3X12-83-PW (Pure White)
- \*Natural White (4000K) coming soon

#### **ACCESSORIES AVAILABLE:**

- Surface mount frames
- Wall knob dimming kit
- Recessed mount protection wire
- Ceiling mount suspension wire
- Wall knob dimmer with remote



INDEPENDENT CEILING AND WALL MOUNTING FRAME

Panels can be recessed, surface mounted, wall mounted or suspended.





#### **IDEAL FOR:**

- Education & medical environments
- Transport hubs
- Offices and retail
- Technical production areas requiring high levels of brightness



#### HAUPA RATCHET SCREWDRIVER SET

51 piece S2 ratchet screwdriver set with right/left hand motion and adjustable operating angle of 180°.



#### KIT CONTENTS:

- 2 Adapters: 1/4" 50 mm, 1/4" 80 mm
- 8 sockets: 5, 5.5, 6, 7, 8, 10, 12, 13
- 1 Flex ratcheting driver
- 1/4" 50 mm Power bits (reduced shank except T40, H6, flat: 6, 7, 8)
  - Tx-S: T7-10, T15, T20, T25, T30, T40
  - Hex (hole): H2, H2.5, H3, H4, H5, H6
  - PH, PZ & Robertson: 0, 1, 2, 3

- Tx: T5. T6

- Slot: 3, 4, 5, 6, 7, 8

- Tri-Wing: 1, 2, 3

- PZ/FL 1 & 2

**Product** # 104020

\$135.18 \

haupa®

#### **HAUPA 1000V RATED CUTTER & PLIER KIT**

This 1000V rated cutter and plier kit is manufactured from High Alloyed Carbon Steel and oil-hardened to ensure top performance. It features induction hardened cutting edges, a comfortable handle grip, and complies with IEC 60900:2004. These tools make the perfect addition to any tool kit.

**Product** # 220127

\$193.78



#### KIT CONTENTS:

- Combination Pliers
- Long Nose Pliers
- Side Cutters
- Wire Stripping Pliers

haupa

#### **HAUPA 2-COMPONENT PLIER KIT**

This kit features chrome plated tools with 2-component, reinforced handles made of high quality, nonslip, thermoplastic elastomer. The cutting edges have been inductive hardened and the handles are slimline and slip-resistant for easy handling, making them easy and efficient to use.

Product # 220129

\$140.38



#### KIT CONTENTS:

- Combination pliers 180 mm
- Heavy duty diagonal cutter 180 mm
- Long chain nose pliers 200 mm
- Wire stripping pliers 160 mm

haupa®



## NZ Oil & Gas Exhibition & Conference -New Plymouth, OCT 22-23



TransNet is excited to be part of the upcoming Oil & Gas Expo at the TSB Stadium in New Plymouth. As the industry's premier trade event of the year it will offer an unparalleled experience for visitors, letting them engage with experts from top companies and observe leading advances in every sector of exploration and production.

In addition, the 2014 conference will explore relevant issues surrounding new technologies, industry best practice, regulatory frameworks, and how to approach current and future developments. If you are involved in the oil and gas industry in any capacity this is an event that can't be missed.

The TransNet stand at #38 and #39 will feature a range of hazardous area and safety products, including Heatshrink products, oil rig components, glands and enclosures, protective clothing, and floodlights, from trusted brands such as TE Energy, Raychem, CCG, Salisbury, and ECOLight.

Come visit us, say hello to our staff and find out more about the contribution our products can make to the oil and gas industry in New Zealand.



22 & 23 October 2014 10am to 5pm TSB Stadium, New Plymouth TransNet Stand #38 & #39 Free entry for registered trade visitors



### FEATURING PRODUCTS FROM







by Honeywell











#### TransNet New Zealand Ltd

#### **Auckland**

20 Neilpark Drive East Tamaki Auckland **NEW ZEALAND** Ph 0800 442 182 Fax 0800 442 183 PO Box 39 383 Howick, Auckland

### **TransNet**

#### Wellington

18 Sydney Street Petone Wellington NEW ZEALAND Ph 04 576 2530 Fax 04 576 0040 PO Box 39 383

sales@transnet.co.nz

**NEW ZEALAND** 

#### TransNet Equipment Pty Ltd

Unit 20, 8 Hurley Street Canning Vale WA 6155 Perth AUSTRALIA Ph +61 8 9256 3417 Fax +61 8 9256 3917 PO Box 1439 Canning Vale DC WA 6970

sales@transnetequipment.com

**AUSTRALIA** 

#### TransNet Tonga

#### Ma'ufanga

Small Industries Ma'ufanga Ph +67 627 939 Fax +67 627 976 PO Box 2932

transnet@kalianet.to

**TONGA**